


Neon Rope D-Type

Outdoor / Signage Lighting



Features

- Minimum bending in 1.18in[30mm], various styles.
- Maximum run length in 98.43ft[30m].
- Mounting clip accessories and optional 4' aluminum profile are available to increase the versatility of the system.
- Dot-free linear neon illumination.
- Fabricated with Eco-friendly, UV-resistant silicone material.

Input Voltage

- 24V DC



Advantages

- Easy to install and operate.
- Energy saving, long lifespan.
- Light is soft and uniform, safe to eyes.
- Instant start, NO flickering, NO humming.
- Green and eco-friendly without mercury.

Recommended Use

- Around Signage
- Store Windows / Building Crown
- Decor Lighting / Around Bar Table / Under Counter / Around Ceiling
- Along Walkways



Neon Rope D-Type

Outdoor / Signage Lighting

LED Neon Rope Lights - D Type					
SKU #	110239	110247	110254	110262	110270
MODEL #	BLT-Flex-A0-24-W	BLT-Flex-A0-24-R	BLT-Flex-A0-24-G	BLT-Flex-A0-24-B	BLT-Flex-A0-24-Y
CONSUMPTION	2.35W/Foot	2.35W/Foot	2.35W/Foot	2.35W/Foot	2.35W/Foot
COLOR	White	Red	Green	Blue	Yellow


Specifications

COLOR TEMPERATURE	6500K for White Only
VIEWING ANGLE	172°
INPUT VOLTAGE	24VDC with Current Regulator
LED QTY/M	112 PCS
WATERPROOF RATING	IP66

Fixture Specifications

LED TYPE	SMD 3014
MATERIALS	Silicone
LENGTH PER ROLL	49ft

CORRELATED
COLOR TEMPERATURE
(CCT)



Others

OPERATING TEMPERATURE	APPLICATION	BEAM ANGLE	DIMMABLE
-13°F TO 140°F	Outdoor & Signage	172°	Yes

Warranty & Qualification

WARRANTY	UL LISTED
5 Year Limited	Yes

Due to continuous product improvement, information in this document is subject to change.

Revision Date: 05/23/2017


2725 Mountain Industrial Blvd. Suite A-5 | Phone: (866) 786-1117 | www.beyondledtechnology.com





Neon Rope D-Type

Outdoor / Signage Lighting

Drawing



BOX TYPE	SIZE	QTY / CARTON	WEIGHT / CARTON
Single Box	15" x 15" x 8.25"	1	14 lbs



Due to continuous product improvement, information in this document is subject to change.

Revision Date: 05/23/2017

2725 Mountain Industrial Blvd. Suite A-5 | Phone: (866) 786-1117 | www.beyondledtechnology.com




Neon Rope D-Type

Outdoor / Signage Lighting

Light Distribution Testing Parameters

AVERAGE BEAM ANGLE(50%): 172.1°



Available Colors For S-Type Neon Rope Lights

White

Red

Green

Blue

Yellow



Optional Accessories

Aluminum Profile



Due to continuous product improvement, information in this document is subject to change.

Revision Date: 05/23/2017

2725 Mountain Industrial Blvd. Suite A-5 | Phone: (866) 786-1117 | www.beyondledtechnology.com