


# Neon Rope S-Type

## Outdoor / Signage Lighting



### Features

- Flexible and cuttable modules marked at every 1.97in [50mm] for design freedom.
- Mounting clip accessories and optional 4' aluminum profile are available to increase the versatility of the system.
- Dot-free linear neon illumination.
- Fabricated with Eco-friendly, UV-resistant silicone material.

### Input Voltage

- 24V DC



### Advantages

- Easy to install and operate.
- Energy saving, long lifespan.
- Light is soft and uniform, safe to eyes.
- Instant start, NO flickering, NO humming.
- Green and eco-friendly without mercury.

### Recommended Use

- Around Signage
- Store Windows / Building Crown
- Decor Lighting / Around Bar Table / Under Counter / Around Ceiling
- Along Walkways



# Neon Rope S-Type

## Outdoor / Signage Lighting

LED Neon Rope Lights - S Type					
SKU #	110189	110197	110205	110213	110221
MODEL #	BLT-CCFG-0-24V-W	BLT-CCFG-0-24V-R	BLT-CCFG-0-24V-G	BLT-CCFG-0-24V-B	BLT-CCFG-0-24V-Y
CONSUMPTION	2.93W/Foot	2.93W/Foot	2.93W/Foot	2.93W/Foot	2.93W/Foot
COLOR	White	Red	Green	Blue	Yellow


### Specifications

COLOR TEMPERATURE	6500K for White Only
VIEWING ANGLE	150°
INPUT VOLTAGE	24VDC Constant Voltage
LED QTY/M	120 PCS
WATERPROOF RATING	IP67

### Fixture Specifications

LED TYPE	SMD 3014
MATERIALS	Silicone
LENGTH PER ROLL	45ft

CORRELATED  
COLOR TEMPERATURE  
(CCT)



### Others

OPERATING TEMPERATURE	APPLICATION	BEAM ANGLE
-13°F TO 140°F	Outdoor & Signage	150°

### Warranty & Qualification

WARRANTY	UL LISTED
5 Year Limited	Yes

Due to continuous product improvement, information in this document is subject to change.


Revision Date: 05/23/2017

2725 Mountain Industrial Blvd. Suite A-5 | Phone: (866) 786-1117 | [www.beyondledtechnology.com](http://www.beyondledtechnology.com)



# Neon Rope S-Type

## Outdoor / Signage Lighting

### Drawing



BOX TYPE	SIZE	QTY / CARTON	WEIGHT / CARTON
Single Box	15" x 14.75" x 8"	1	13 lbs



Due to continuous product improvement, information in this document is subject to change.

Revision Date: 05/23/2017

2725 Mountain Industrial Blvd. Suite A-5 | Phone: (866) 786-1117 | [www.beyondledtechnology.com](http://www.beyondledtechnology.com)




# Neon Rope S-Type

## Outdoor / Signage Lighting

### Light Distribution Testing Parameters

**AVERAGE BEAM ANGLE(50%): 175.2°**



#### Available Colors For S-Type Neon Rope Lights

White

Red

Green

Blue

Yellow



### Optional Accessories

Aluminum Profile



Due to continuous product improvement, information in this document is subject to change.

Revision Date: 05/23/2017

2725 Mountain Industrial Blvd. Suite A-5 | Phone: (866) 786-1117 | [www.beyondledtechnology.com](http://www.beyondledtechnology.com)