

VersaFlex Down Lights

Indoor / Outdoor Lights



15W

Features

- Available with either 4", 6", or 8" downlight cans
- Innovative separable design of junction box and trim
- Easy Installation
- Ideal for soffits and ceilings
- UL & Energy Star qualified
- Optional Retro Cable
- Optional Backup Battery

Recommended Use

- Shopping Malls
- Retail Stores
- Banquet Halls
- Auditoriums

Advantage

- High quality aluminium alloy
- One engine allows for seamless integration of multiple trim options.
- Safe and cool to touch
- Replace up to 85W halogen bulb
- Great heat sink dissipation
- Certificate: UL/cUL, Energy Star, LM79
- Warranty: 5 Years

Input Voltage

- 100-277Vac 50/60Hz

Qualification



 **BEYOND**[®]
LED TECHNOLOGY

1939 Parker Ct Suite C Stone Mountain, GA 30087 | Phone: (866) 786-1117 | www.beyondledtechnology.com

VersaFlex Down Lights

Indoor / Outdoor Lights

LED VersaFlex Down Light		
SKU #	150821	150807
MODEL #	BLT-CP4-D15W-30E	BLT-CPS-D15W-50E
COLOR TEMPERATURE	3000K	5000K

Specifications

LUMEN	1300LM
LUMEN EFFICACY	85LM/W
CONSUMPTION	15W
VIEWING ANGLE	65° for 4" / 70° for 6" / 75° for 8"
INPUT VOLTAGE	100-277V 50/60Hz
THD	<20%
POWER FACTOR	>0.9
LIFESPAN	50,000hrs


Fixture Specifications

LED TYPE	SMD
HOUSING	High Quality Aluminum Alloy
HOUSING COLOR	Silver

CORRELATED
COLOR TEMPERATURE
(CCT)

Others

OPERATING TEMPERATURE	APPLICATION	CRI	DIMMABLE
-4°F - 104°F	Indoor / Outdoor	Ra>80	Yes



Warranty & Qualification

WARRANTY	UL LISTED	ENERGY STAR
5-Year Limited	Yes	Yes

Due to continuous product improvement, information in this document is subject to change.

Revision Date: 01/15/2019






1939 Parker Ct Suite C Stone Mountain, GA 30087 | Phone: (866) 786-1117 |

www.beyondledtechnology.com

VersaFlex Down Light

Indoor / Outdoor Lights

Drawing



Notice For User

- Please turn off power before install or change assembly parts.
- The input voltage and lamps should be matched, after connecting the power line, Please make sure the wiring section is insulated
- Licensed Electrician Installation ONLY.

Due to continuous product improvement, information in this document is subject to change.

Revision Date: 01/15/2019


1939 Parker Ct Suite C Stone Mountain, GA 30087 | Phone: (866) 786-1117 |

www.beyondledtechnology.com


VersaFlex Down Light

Indoor / Outdoor Lights


Light Distribution Testing Parameters



AVERAGE BEAM ANGLE(50%): 67.8 DEG





AVERAGE BEAM ANGLE(50%): 75.1 DEG



AVERAGE BEAM ANGLE(50%): 79.9 DEG

Optional Accessories



Battery Specifications

OUTPUT POWER	18W(max)	25W(max)
INPUT POWER	6W(Max)	
OUTPUT VOLTAGE	170VDC(Equivalent 120VAC)	
INPUT VOLTAGE	100-277 VAC, 50-60Hz	
EMERGENCY OPERATIONS	≥90 minutes	
OPERATING TEMP	32°F to 122°F	
BATTERY	High Temp Nickel-Cadmium 48 Hour Recharge 7-10 Year Life Expectancy	

Due to continuous product improvement, information in this document is subject to change.

Revision Date: 01/15/2019

1939 Parker Ct Suite C Stone Mountain, GA 30087 | Phone: (866) 786-1117 |

www.beyondledtechnology.com